JOURNAL OF PALEONTOLOGY

INDEX TO VOLUME 21

AUTHOR INDEX

		No.	Page
1.	ALLAN, ROBIN S., A revision of the Brachiopoda of the Lower Devonian strata of Reefton, New Zealand	5	436
2.	ALLAN, ROBIN S., *Plicirhynchia*, a new genus of Tertiary Brachiopoda from Patagonia	5	493
3.	ALLAN, ROBIN S., The genotype of *Cancellothyris* Thomson, 1927, *Coptothyris* Jackson, 1918	5	497
4.	AVNIMELECH, M., *Nautilus blakei*, a new Oligocene mollusk from Palestine	5	476
5.	BRADY, L. F., Invertebrate tracks from the Coconino sandstone of northern Arizona	5	466
6.	BRANSON, E. B., Correction of the horizon of *Pentagonaster browni* Weller	6	590
7.	BRANSON, E. B., Triassic (Chugwater) footprints from Wyoming	6	588
8.	BRANSON, E. B., and BRANSON, C. C., Lower Silurian conodonts from Kentucky	6	549
	BRANSON, C. C., see BRANSON, E. B.		
9.	BROWN, ROLAND W., Fossil plants and human footprints in Nicaragua	1	38
	COLLINS, LEIGH R., see MILLER, A. K., (44)		
10.	COOKE, C. WYTHE, A new Jurassic *Stomechinus* from the Big Horn Basin, Wyoming	5	473
11.	COOPER, CHALMER L., Upper Kinkaid (Mississippian) microfauna from Johnson County, Illinois	2	81
12.	COOPER G. ARTHUR, and KINDLE, CECIL H., *Remopleurides sinclairi*, new name	1	76
13.	CUSHMAN, JOSEPH A., Foraminifera evidence for the age of the Velasco shale of Mexico and the Lizard Springs marl of Trinidad	6	587
14.	TEN DAM, ABRAHAM, New names for two species of Foraminifera from the Lower Tertiary of the Netherlands	2	186
15.	TEN DAM, ABRAHAM, Foraminifera from the Middle Eocene in the southern part of the Netherlands province of Limburg, by R. C. van Bellen (Review of)	2	188
16.	TEN DAM, ABRAHAM, Foraminifera from the Hervian (Campanian) of southern Limburg, by Ernest Schijfsma (Review of)	2	188
17.	TEN DAM, ABRAHAM, A new species of *Asterigerina* from the Upper Liassic of England	4	396
18.	TEN DAM, ABRAHAM, Structure of *Asterigerina* and a new species	6	584
19.	TEN DAM, ABRAHAM, Manuel de paléontologie végétale, by Léon Moret. (Review of)	6	595
20.	TEN DAM, ABRAHAM, Les hommes fossiles: eléments de paléontologie humaine, by Marcellin Boule. (Review of)	6	595
21.	TEN DAM, ABRAHAM and RHEINHOLD, TH., New names for two species of Foraminifera from the Middle Miocene of the Netherlands	2	186
22.	DECKER, CHARLES E., Additional graptolites and hydrozoan-like fossils from Big Canyon, Oklahoma	2	124
23.	DODGE, HENRY, The molluscan genera of Bruguière	5	484
24.	DURHAM, J. WYATT, Nuclear whorls of *Heminautilus etheringioni* Durham	6	576
25.	ELIAS, MAXIM K., *Permopora keenae*, a new late Permian alga from Texas	1	46
26.	FLOWER, ROUSSEAU H., New Ordovician natiloids from New York	5	429
	FREDERICKSON, E. A., see HOWELL, B. F. (36)		
27.	FRITZ, MADELEINE A., Cambrian Bryozoa	5	434
28.	GRIMSDALE, T. F., Upper Cretaceous Foraminifera: a criticism	6	586
29.	GUNTER, GORDON, Paleoecological import of certain relationships of marine animals to salinity	1	77
30.	GUNTER, GORDON, Extended remarks on relationships of marine animals to salinity	5	498
31.	HANZAWA, SHOSHIRO, Eocene Foraminifera from Haha-jima (Hillsborough Island)	3	254
32.	HANZAWA, SHOSHIRO, Reinstatement of the genus *Heterosteginoides*, and classification of the Miogypsinidae	3	360
33.	HANZAWA, SHOSHIRO, Check list of Tertiary larger Foraminifera of Japan	6	563
34.	HAAS, OTTO, Three nomenclatural problems in Liassic Ammonoidea	1	79
35.	HASS, WILBERT H., Conodont zones in Upper Devonian and Lower Mississippian formations of Ohio	2	131
36.	HOWELL, B. F., FREDERICKSON, E. A., LOCHMAN, CHRISTINA, RAASCH, G. O., and RASETTI, FRANCO, Terminology for describing Cambrian trilobites	1	72
37.	JOHNSON, J. HARLAN, *Nubecularia* from the Pennsylvanian and Permian of Kansas	1	41
	KEMP, AUGUSTA, see MILLER, A. K. (45)		
	KINDLE, CECIL H., see COOPER, G. ARTHUR (12)		

		No.	Page
38.	KNIGHT, J. BROOKES, Bellerophont muscle scars	3	264
39.	LAIRD, WILSON M., An Upper Devonian brachiopod fauna from northwestern Montana	5	453
	LAMPE, LOIS, see STEWART, GRACE ANNE (71)		
40.	LAUBENFELS, M. W. DE, *Monarchopemmatites*, a new genus name for a fossil sponge	2	187
41.	LOCHMAN, CHRISTINA, Analysis and revision of eleven Lower Cambrian trilobite genera	1	59
	LOCHMAN, CHRISTINA, see HOWELL, B. F. (36)		
42.	MICROPALEONTOLOGY, DEPARTMENT OF (American Museum of Natural History), The catalogue of Foraminifera	2	186
43.	MILLER, A. K., A goniatite from the Mississippian Boone formation of Missouri	1	19
44.	MILLER, A. K., and COLLINS, LEIGH R., *Endolobus* from the Greenbrier limestone of Pennsylvania	3	239
45.	MILLER, A. K., and KEMP, AUGUSTA HASSLOCK, A *Koninckioceras* from the Lower Permian of north-central Texas	4	351
46.	MILLER, A. K., and YOUNGQUIST, WALTER, Ordovician fossils from the southwestern part of the Canadian Arctic Archipelago	1	1
47.	MILLER, A. K., and YOUNGQUIST, WALTER, The discovery and significance of a cephalopod fauna in the Mississippian Caballero formation of New Mexico	2	113
48.	MILLER, A. K., and YOUNGQUIST, WALTER, Ordovician cephalopods from the west-central shore of Hudson Bay	5	409
49.	MILLER, A. K., and YOUNGQUIST, WALTER, Conodonts from the type section of the Sweetland Creek shale in Iowa	6	501
50.	MUNYAN, ARTHUR, C., A new species of sponge from the Middle Cambrian	6	546
51.	NAUSS, ARTHUR W., Cretaceous microfossils of the Vermilion area, Alberta	4	329
52.	NELSON, L. A., Two new genera of Paleozoic Gastropoda	5	460
53.	NICOL, DAVID, The genotype of *Isoarca* (Class Pelecypoda)	4	344
54.	NICOL, DAVID, Tropical American species of *Glycymeris* from the Tertiary of California, and a new species from Panama	4	346
	PETERSON, RICHARD F., see YOUNGQUIST, WALTER (83)		
55.	PLUMMER, F. B., Lower Pennsylvanian strata of the Llano region—summary of classification	2	142
56.	PRIBYL, ALOIS, *Aulacopleura* and the Otarionidae	6	537
	RAASCH, G. O., see HOWELL, B. F. (36)		
57.	RASETTI, FRANCO, Notes on techniques in invertebrate paleontology	4	397
	RASETTI, FRANCO, see HOWELL, B. F. (36)		
	RHEINHOLD, TH., see TEN DAM, ABRAHAM (15)		
58.	RICHARDS, HORACE G., Invertebrate fossils from deep wells along the Atlantic Coastal Plain	1	23
59.	SAWIN, H. J., The pseudosuchian reptile *Typothorax meadei*, new species	3	201
60.	SCOTT, HAROLD W., ZELLER, and ZELLER, DORIS NODINE, The genus *Endothyra*	6	557
61.	SHROCK, ROBERT R., Corrigenda for "Index fossils of North America"	5	494
62.	SIMPSON, GEORGE GAYLORD, A continental Tertiary time chart	5	480
63.	SIMPSON, GEORGE GAYLORD, *Haramiya*, new name replacing *Microleptes* Simpson, 1928	5	494
64.	SINCLAIR, G. WINSTON, Note on "Paleoecological import of salinity"	3	297
65.	SINCLAIR, G. WINSTON, Non-crinoid Pelmatozoa from the Paleozoic of Sweden—a taxonomic study, by Gerhard Regnell (Review of)	6	596
66.	STAINBROOK, MERRILL A., Brachiopoda of the Percha shale of New Mexico and Arizona	4	297
67.	STENZEL, H. B., Nomenclatural synopsis of supraspecific groups of the family Ostreidae (Pelecypoda, Mollusca)	2	165
68.	STEPHENSON, MORTON B., Notes on the genus *Triebelina*	6	577
69.	STEPHENSON, MORTON B., Weches Ostracoda: corrections	6	579
70.	STEPHENSON, MORTON B., Contribution to the study of the Ostracoda with special reference to the Tertiary and Cretaceous of the Caribbean region, by William Aaldert van den Bold (Review of)	6	591
71.	STEWART, GRACE ANNE, and LAMPE, LOIS. Foraminifera from the Middle Devonian Bone Beds of Ohio	6	529
72.	SWAIN, FREDERICK M., Tertiary non-marine Ostracoda from the Salt Lake formation, northern Utah	6	518
73.	TEICHERT, CURT, Early Ordovician cephalopods from Adamsfield, Tasmania	5	420
74.	THALMANN, HANS E., Bibliography of Foraminifera (Supplements for 1940 to 1945)	3	278
75.	THALMANN, HANS E., Index to new genera, species, and varieties of Foraminifera for the year 1945, with supplements for the period 1939–1944, and addenda (1942–1945)	4	355
76.	THOMPSON, M. L., Stratigraphy and fusulinids of pre-Desmoinesean Pennsylvanian rocks, Llano Uplift, Texas	2	147
77.	WARREN, P. S., Cretaceous fossil horizons in the Mackenzie River Valley	2	118

	No.	Page
78. WARTHIN, A. S., Marine ecology as related to paleontology, report of the committee on (Review of)	3	295
79. WELLER, J. MARVIN, Relations of the invertebrate paleontologist to geology	6	570
80. WELLER, J. MARVIN, Tegmen structure of *Pterotocrinus capitalis* (Lyon)	6	581
81. YEN, TENG-CHIEN, Pliocene fresh-water mollusks from northern Utah	3	268
82. YOUNGQUIST, WALTER, A new Upper Devonian conodont fauna from Iowa	2	95
83. YOUNGQUIST, WALTER, and PETERSON, RICHARD F., Conodonts from the Sheffield formation of north-central Iowa	3	242
YOUNGQUIST, WALTER, see MILLER, A. K. (46–49)		
ZELLER, DORIS NODINE, see SCOTT, HAROLD W., ZELLER, EDWARD, see SCOTT, HAROLD W.		
84. ZOOLOGICAL NOMENCLATURE, INTERNATIONAL COMMISSION ON, Incorporation of	3	296
85. ZOOLOGICAL NOMENCLATURE, INTERNATIONAL COMMISSION ON, Recent publications of	3	296
86. ZOOLOGICAL NOMENCLATURE, INTERNATIONAL COMMISSION ON, UNESCO Aid for	4	400
87. ZOOLOGICAL NOMENCLATURE, JOINT COMMITTEE ON, New names for junior homonyms	4	400
88. ANONYMOUS, Committee on techniques in invertebrate paleontology	4	397
89. ANONYMOUS, "Contributions to American Paleontology" by E. O. Ulrich (copies of)	5	500
90. ANONYMOUS, Translations of Russian Geologic literature	6	586
91. ANONYMOUS, University of Kansas paleontological contributions	4	408

SUBJECT INDEX

Alberta: Cambrian Bryozoa (27); Cretaceous microfossils (51).
Algae: Pennsylvanian and Permian, Kansas, (37); Permian *Permopora keenae*, Texas (25).
Ammonoidea: Liassic, nomenclatural problems of, (34); Goniatite from Boone formation (Mississippian), Missouri (43).
Animals, marine: Paleoecological import of, and salinity (29).
Arctic archipelago, Canadian: Ordovician fossils (46).
Arizona: Percha shale Brachiopoda (66).
Arizona, northern: Invertebrate tracks, Coconino sandstone (Permian) (5).
Asterigerina (Foraminifera): Structure of, and new species (18); Upper Liassic of England (17).
Atlantic Coastal Plain: Invertebrate fossils from deep wells along, (58).
Aulacopleura (Trilobita) (56).
Bellerophont muscle scars: (38).
Bibliography: Foraminifera (Supplements for 1940–1945) (74).
Big Canyon, Oklahoma: Graptolites and hydrozoan-like fossils. (22).
Bone Beds (Middle Devonian): Foraminifera, Ohio (71).
Bonin Islands: Haha-jima, Eocene Foraminifera (31).
Boone formation (Mississippian): Goniatite, Missouri (43).
Brachiopoda: Devonian (Lower), Reefton, New Zealand (1); Devonian (Upper), northwestern Montana (39); Fossil, Atlantic Coastal Plain deep wells (58); Parcha shale (Devonian) of Arizona and New Mexico; Tertiary *Plicirhynchia*, Patagonia (2).
Brassfield (Silurian): Conodonts, Kentucky (8).
Bruguière: Molluscan genera of, (23).
Bryozoa: Cambrian, Canada (27); Fossil, Atlantic Coastal Plain deep wells (58).
Caballero formation (Mississippian): Cephalopods, New Mexico (47).
California: Tertiary pelecypod *Glycymeris* (54).
Cambrian: Bryozoa, Canada (27).
Cambrian, Lower: Analysis and revision of 11 trilobite genera (41).
Cambrian, Middle: New sponge (50).
Cambrian; Trilobite terminology (36).
Canada: Arctic Archipelago Ordovician fossils (46); Cambrian Bryozoa (27); Cretaceous microfossils Alberta (51); Ordovician Cephalopoda, Hudson Bay (48).
Cancellothyris (Brachiopoda): Genotype of (3).
Central America: Foraminifera (13); Fossil plants and human footprints (9); Tertiary pelecypod *Glycymeris* (54).
Cephalopoda: Discovery and significance of, from Caballero (Mississippian), New Mexico (47); Goniatite from Boone formation (Mississippian), Missouri (43); Greenbrier (Mississippian), Pennsylvania (44); Mackenzie River Valley, Cretaceous (77); Nomenclatural problems, of 3 Liassic Ammonoidea; Nuclear whorls of *Heminautilus etheringtoni* (Durham) (24); Oligocene, Palestine (4); Ordovician, Canadian Arctic (46); Ordovician, Early, from Tasmania (73); Ordovician, Hudson Bay (48); Ordovician nautiloids, New York (26); Permian, Lower, Koninckioceras from north-central Texas (45).
Check list: Larger Tertiary Foraminifera, Japan (33).

Chester: *Pterotocrinus capitalis*, tegmen structure of, (80).
Chugwater (Triassic): Footprints, Wyoming (7).
Classification: Lower Pennsylvanian, Llano region, Texas (55).
Coconino sandstone (Permian): Invertebrate tracks, northern Arizona (5).
Coelenterata, fossil: Atlantic Coastal Plain deep wells (58).
Committee on techniques in invertebrate paleontology (88).
Conodonts: Devonian, Upper Sheffield formation of northern Iowa (83); Sweetland Creek shale of Iowa (49); of Iowa (82); Mississippian, Upper Kinkaid of Johnson County, Illinois (11); Silurian, Lower, of Kentucky (8).
Conodont zones: Upper Devonian, Lower Mississippian of Ohio (35).
"Contributions to American Paleontology" by E. O. Ulrich (89).
Coptothyris, genotype of (3).
Coastal Plain, Atlantic: Invertebrate fossils from deep wells (58).
Continental time chart, Tertiary (62).
Corals: Ordovician, Canadian Arctic Archipelago (46).
Corrections: Weches Ostracoda (69).
Corrigenda to "Index Fossils of North America" (61).
Cretaceous: Cody horizon of *Pentagonaster browni* Weller (6); Mackenzie River valley fossil horizons (77); Vermilion area, Alberta, fossil horizons (51).
Cretaceous, Upper: Foraminifera (13, 28); Fossils, Atlantic Coastal Plain deep wells (58).
Crinoidea: Tegman structure of *Pterotocrinus capitalis* (80).
Cristellaria (*Robulus*) *teschi* (21).
Crustacea: fossil: From Atlantic Coastal Plain deep wells (58); Trilobites, Cambrian, New genera (41); Trilobites, Cambrian, terminology for, (36).
Description: Terminology for Cambrian trilobites (36).
Devonian (?): Percha shale Brachiopoda, Arizona, New Mexico (66).
Devonian, Lower: New Zealand Brachiopoda, revision of, (1).
Devonian, Middle: Bone Bed Foraminifera, Ohio (71).
Devonian, Upper; Brachiopoda, northwestern Montana (39); Conodonts: Iowa, new fauna (82); Iowa Sheffield formation (83); Iowa Sweetland Creek shale (49); Ohio, zones (35).
Discovery of Caballero (Mississippian) cephalopod fauna, New Mexico (47).
Echinodermata: Fossil, from Atlantic Coastal Plain deep Wells (58); *Pentagonaster browni* (6); *Stomechinus*, Jurassic, Wyoming (10).
Endolobus: Upper Mississippian (Greenbrier), Pennsylvania (44).
Endothyra: Structure of (60).
England: Upper Liassic Foraminifera *Asterigerina* (20).
Eocene: Foraminifera, Haha-jima (Hillsborough Island) (31); Invertebrate fossils, Atlantic Coastal Plain deep wells (58).
Foraminifera: *Asterigerina*, English Upper Liassic (17), structure of and a new species (18); Bibliography of Foraminifera, supplements for 1940–1945 (74); Catalogue of Foraminifera (42); Check list, larger Tertiary, Japan (33); Cretaceous, Alberta (51); Cretaceous, Upper (28); Devonian Bone Beds, Ohio (71); *Endothyra* (60); Eocene, Haha-jima (Bonin Islands) (31); Fusulinids, Texas (76); Heterosteginidae and Miogypsinidae, classification of (32); Index for 1945, supplements for 1939–1944, and addenda for 1942–1945 (75); Kinkaid, Johnson County, Illinois (11); Mexico (13); Nubecularia, Pennsylvanian and Permian of Kansas (37); Trinidad (13).
Footprints: Triassic, Wyoming (7).
Fossils: Mackenzie River valley Cretaceous (77).
Fresh-water mollusks: Pliocene, northern Utah (81).
Fusulinids: Pre-Desmoinesean, Texas (76).
Fauna: Brachiopod, Upper Devonian of northwestern Montana (39); Conodont, Upper Devonian of Iowa (82).
Castropoda: Atlantic Coastal Plain deep wells (58): Bellerophont muscle scars (38); Ordovician, Canadian Arctic (46); Paleozoic, new genera (52); Pliocene fresh-water, northern Utah (81).
Genera: Molluscan of Bruguière (23).
Geology: Relations of invertebrate paleontologist to, (79).
Georgia: Middle Cambrian sponge (50).
Glandulina peelensis (14).
Glycymeris: Tertiary, California and Central America (54).
Glyptobairdia (68)
Goniatite: Mississippian of Missouri (43).
Graptolites: Arbuckel (Ordovician), Big Canyon, Oklahoma (22).
Greenbrier (Mississippian): *Endolobus*, Pennsylvania (44).
Haha-jima (Hillsborough Island): Eocene Foraminifera (31).
Haramiya, new name for *Microcleptes* Simpson (63).
Heminautilus etheringtoni Durham, nuclear whorls of, (24).
Heterosteginoides, reinstatement of, (32).

Homo: Fossil plants and human footprints, Nicaragua (9).
Homonyms, junior (87).
Hudson Bay: Ordovician Cephalopoda (48).
Hydrozoan-like fossils, Big Canyon, Oklahoma (22).
Illinois: Upper Kinkaid (Mississippian) microfauna (11).
"Index Fossils of North America": Corrigenda (61).
Index to new genera, species, and varieties of Foraminifera for the year 1945, with supplements for 1939–1944, and addenda (1942–1945) (75).
Invertebrate paleontologist, relations of, with geology (79).
Invertebrates: Tracks from Coconino sandstone, Arizona (5).
Iowa, Upper Devonian: Conodont fauna (82); Sheffield formation conodonts (83); Sweetland Creek shale conodonts (49).
Isoarca, genotype of (53).
Japan: Larger Tertiary Foraminifera, Check list of, (33).
Johnson County, Illinois: Upper Kinkaid microfauna (11).
Jurassic: *Asterigerina*, Liassic, England (17); *Stomechinus*, Big Horn Basin, Wyoming (10).
Kansas: Pennsylvanian and Permian Foraminifera (*Nubecularia*) (37). University of, Paleontological Contributions (91).
Kentucky: Lower Silurian (Brassfield) conodonts (8).
Koninckioceras: Lower Permian, North-central Texas (45).
Kinkaid, Upper: Microfauna, Johnson County, Ill. (11).
Liassic: Nomenclatural problems, Ammonoidea (34).
Liassic, Upper: *Asterigerina* (17, 18).
Literature, translations of Russian geologic, (90).
Lizard Springs marl Foraminifera (13).
Llano region, Texas: Lower Pennsylvanian (55).
Llano uplift: Stratigraphy, fusulinids (76).
Mackenzie River valley: Cretaceous fossils (77).
Marine ecology: Related to Paleontology (78); and salinity (30).
Mexico: Foraminifera (13).
Microfauna: Upper Kinkaid, Illinois (11).
Microfossils: Cretaceous, Alberta (51).
Miocene: Invertebrate fossils, Atlantic Coastal Plain deep wells (58).
Miogypsinidae, Classification of, (32).
Mississippian: Boone formation goniatite, Missouri (43) Caballero formation cephalopods, New Mexico (47); Genus *Endothyra* (60); Tegmen structure of *Pterotocrinus capitalis* (80); Upper Kinkaid microfauna, Illinois (11).
Mississippian?: Percha shale Brachiopoda, New Mexico, Arizona (66).
Mississippian, Lower: Ohio conodont zones (35).
Mississippian, Upper: Greenbrier limestone Cephalopoda (*Endolobus*), Pennsylvania (44).
Missouri: Mississippian Boone formation goniatite (43).
Mollusca: Pliocene, freshwater, Utah (81); Genera of Bruguière (23); Ostreidae, Nomenclatural synopsis of supraspecific groups, (67).
Monarchopemmatites: New generic name for fossil sponge (40).
Montana: Upper Devonian Brachiopoda (39).
Muscle scars, bellerophont (38).
Nautiloidea: New York Ordovician (26).
Netherlands: *Asterigerina* (18).
New genera, of Paleozoic Gastropoda (52).
New Mexico: Caballero formation Cephalopoda (47), Percha shale Brachiopoda (66).
New names: Brachiopoda: Genotypes of *Cancellothyris* Thomson 1927 and *Coptothyris* Jackson 1918 (3); Foraminifera: *Cristellaria* (*Robulus*) *teschi* for *C.*(*R.*) *grandis* (21); *Glandulina peelensis* for *G. nitida* (14); *Rotalia bartoniana* for *R. granulosa; Vaginulina obtusicosta* for *V. striatula* (21); Porifera: *Monarchopemmatites* (40); Trilobita: *Remopleurides sinclairi* for *R. striatus* (12); Vertebrata: *Haramiya* for *Microcleptes* (63).
New names for junior homonyms (87).
New York: Ordovician nautiloids (26).
New Zealand: Revision, Lower Devonian Brachiopoda (1).
Nomenclature: Molluscan genera of Bruguière (23); Ostreidae, synopsis of (67); International Commission on, recent publications (85); Problems, Liassic Ammonoidea (34).
North America: Lower Cambrian trilobite genera (41).
Nebecularia: Kansas Pennsylvanian, Permian (37).
Nuclear whorls: *Heminautilus* (24).
Ohio: Middle Devonian Foraminifera (71); Upper Devonian, Lower Mississippian conodonts (35).
Oklahoma: Graptolites, hydrozoan-like fossils, Ordovician (22).
Oligocene: *Nautilus blakei*, Palestine (4).

Ordovician: Cephalopoda; Hudson Bay (48); New York (26); Tasmania (73); Fossils: Canadia Arctic (46); Graptolites and hydrozoan-like fossils, Oklahoma (22).
Ostracoda: Alberta Cretaceous (51); Kinkaid (Mississippian), Illinois (11); Non-marine, Tertiary, Utah (72); *Triebelina*, noteson, (68); Weches, corrections (69).
Ostreidae: Nomenclatural synopsis (67).
Otarionidae (Trilobita) (56).
Pacific Islands, western: Haha-jima (Hillsborough) Island Foraminifera (31).
Paleocene Foraminifera (13).
"Paleoecological import of salinity," note on (64).
Paleocology: Relations of marine animals to salinity (29).
Paleozoic Gastropoda, new genera (52).
Palestine: Oligocene *Nautilus* (4).
Panama: Tertiary Pelecypoda (54).
Patagonia: Tertiary Brachiopoda (2).
Pelecypoda: Atlantic Coastal Plain deep wells (58); *Glycymeris*, California, Central America (54); *Isoarca*, genotype of (53); Mackenzie River valley Cretaceous (77); Ostreidae, nomenclatural synopsis (67); Pliocene, Utah (81).
Pennsylvania: Mississippian cephalopod *Endolobus* (44).
Pennsylvanian: Pre-Desmoinesean stratigraphy, fusulinids, Texas (76); *Nubecularia* (Foraminifera), Kansas (37).
Pennsylvanian, Lower: Classification, Llano region, Texas (55).
Pentagonaster browni Weller, correction of horizon (6).
Percha shale: Brachiopoda (66).
Permian: Invertebrate tracks, Arizona (5); *Nubecularia*, Kansas (37).
Permian, Late: *Permopora keenae*, Texas (25).
Permian, Lower: *Koninckioceras*, Texas (45).
Plants, fossil, and human footprints, Nicaragua (9).
Pleistocene: Invertebrates from Atlantic Coastal Plain deep wells (58).
Plicirhynchia: Tertiary brachiopoda, Patagonia (2).
Pliocene: Invertebrates from Atlantic Coastal Plain deep wells (58); Northern Utah Mollusca (81).
Pliocene?: Non-marine Ostracoda, Utah (72).
Porifera: Middle Cambrian sponge (50).
Pre-Desmoinesean: Stratigraphy and fusulinids, Texas (76).
Pseudosuchia, Triassic, Texas (59).
Pterotocrinus capitalis, tegmen structure of (80).
Radiolaria: Alberta Cretaceous (51).
Recent?: Fossil plants and human footprints, Nicaragua (9).
Relations of invertebrate paleontologist to geology (79).
Relationships of marine animals to salinity (29, 30, 64).
Reptiles: Triassic, Texas (59).
Reviews: Contribution to the study of the Ostracoda with special reference to the Tertiary and Cretaceous microfauna of the Caribbean region, by William Aaldert van den Bold (70); Foraminifera from the Hervian (Campanian) of southern Limburg, by Ernest Schijfsma (16); Foraminifera from the Middle Eocene in the southern part of the Netherlands province of Limburg, by R. C. van Bellen (15); Les hommes fossiles: eléments de paléontologie humaine, by Marcellin Boule (20); Manuel de paléontologie végétale, by Léon Moret (19); Non-crinoid Pelmatozoa from the Paleozoic of Sweden—a taxonomic study, by Gerhard Regnell (65); Report of the Committee on marine ecology as related to paleontology (78).
Revision: New Zealand Lower Devonian Brachiopoda (1).
Rotalia bartoniana (14).
Russian geologic literature, Translations of (90).
Salinity (29, 30, 64).
Salt Lake formation: Non-marine Ostracoda (72).
Scaphopoda: Atlantic Coastal Plain deep wells (58).
Sheffield formation (Upper Devonian): Iowa conodonts (83).
Silurian, Lower: Kentucky conodonts (8).
Society Records and Activities: Paleontological Society: Pp. 282, 293; Society of Economic Paleontologists and Mineralogists: Pp. 190, 401.
Sponges: *Monarchopemmatites* (40); New, Middle Cambrian (50).
Stomechinus: Jurassic, Wyoming (10).
Stratigraphy: Lower Pennsylvanian, Texas (55); Pre-Desmoinesean Pennsylvanian, Texas (76).
Sub-surface: Invertebrate fossils, Atlantic Coastal Plain deep wells (58).
Sweetland Creek shale conodonts (49).
Synopsis, nomenclatural, of Ostreidae (67).
Tasmania: Early Ordovician Cephalopoda (73).
Techniques: Committee on, in invertebrate paleontology (88); Invertebrate Paleontology (57).
Terminology: Cambrian trilobites (36).

Tertiary: Brachiopoda: *Plicirhynchia*, Patagonia (2); Foraminifera: Check list, Japan (33); *Asterigerina* (17, 18); *Heterosteginoides* (32); Fossils, invertebrate (58); Mollusca: Fresh-water, Utah (81); *Glycymeris* (54); Ostreidae (67); Nautiloid (4); Ostracoda: Non-marine, Utah (72); *Triebelina* (68); Weches, corrections (69).
Tertiary time chart, Continental (62).
Texas: Pennsylvanian (55, 76); Permian (25, 45); Triassic (59).
Time chart, Continental Tertiary (62).
Tracks, Invertebrate (5).
Translations of Russian geologic literature (90).
Triassic: Footprints (7); Reptile, Texas (59).
Triebelina (Ostracoda), notes on, (68).
Trilobita: Analysis and revision of 11 Cambrian genera (41); *Aulacopleura* and the Otarionidae (56); Terminology, Cambrian (36).
Trinidad Foraminifera (13).
Typothorax meadei (59).
UNESCO aid for International Commission on Zoological Nomenclature (86).
Utah: Pliocene Mollusca (81), Tertiary Ostracoda (72).
Velasco shale Foraminifera (13).
Vermilion area, Alberta (51).
Vertebrates: Human footprints and fossil plants (9); Triassic footprints (7); Triassic reptile (59).
Weches Ostracoda, Corrections (69).
Wyoming: *Pentagonaster browni* Weller (6); *Stomechinus* (10); Triassic footprints (7).
Zoological Nomenclature: Incorporation of International Commission on, (84).